

Sample St	Job No. :	Document Ref: E915 Rev T00
-----------	-----------	----------------------------



LOVE ARCHITECTURE

Unit 3.2 The Leathermarket
Weston St London SE1 3EX
tel: 020 7407 9977 fax: 020 7993 4690
Email: admin@lovearchitecture.com

Electrical Schedule

for
Mr & Mrs Sample
for works at
Sample St
Sampletown

Rev	REVISION	Date
D00	Preliminary Issue	
D01	For comment	
T00	Tender Issue	

Sample St Job No. Document Ref: E915 Rev T00

Electrical Schedule – New Lighting

Room No	Room	Spotlight		Striplight		Walllight		Floor/Wall		Ceiling light		Other		Other	
		No.	Type	No.	Type	No.	Type	No.	Type	No.	Type	No.	Type	No.	Type
G01	Utility	4	A												
G02	Dining														
G03	WC/Shower														
G04	Hall														
G05	Living														
G06	Patio	12	F			2	E					8	K		
G07	Courtyard					1	E					2	N		
G08	Kitchen					3	J			3	H				
G09	Conservatory	5	A			2	G					1	M		
G10	Greenhouse											1	M		
G11	Shed											1	M		
G12	Drive													4	L
1.01															
1.02															
	Total	21		0		8		0		3		13			

NUMBER OF LIGHT FITTINGS OF EACH TYPE IN EACH ROOM

Type	Light Fitting Description	Notes
A	Generic compact fluorescent low profile downlight	
B	Generic compact fluorescent moisture resistant low profile downlight	
C	Vice Versa L TC 276 03 21	deltalight.com
D	Generic external light less than 150W with PIR	
E	Montparnasse outdoor lantern, astromontparnasse1, IP44	www.allupandon.co.uk or alternative
F	Helio outdoor uplighter spotlight (grey) Alu code ledsheli04	www.allupandon.co.uk or alternative
G	Mesmeri Eric Sole Artimide ART 0916 (chrome)	www.designer-lights.com or alternative supplier
H	Flowerpot'	www.twentytwentyone.com/
J	Supplied and second fix by kitchen subcontractor	
K	External LED uplighter	http://www.ledlightingproducts.co.uk/LED%20uplighters.html
L	Edinburgh LED Pedestal LDP16705/47/10	www.lighting-direct.co.uk
M	900mm Fluorescent batten	Within joinery
N	LDM18079 Submersible Spotlights	www.lighting-direct.co.uk

Sample St	Job No.	Document Ref: E915 Rev T00
-----------	---------	----------------------------

Electrical Schedule – New Switches

Room No	Room	Single light switch		Single dimmer switch		Twin light switch plate		Triple light switch plate		2-way light switch		3-way light switch		Phone/AV/Cable access plate		Kitchen Multi-appliances switch plate		PIR		Other			
		No.	Type	No.	Type	No.	Type	No.	Type	No.	Type	No.	Type	No.	Type	No.	Type	No.	Type	No.	Type		
G01	Utility									1	B												
G02	Dining							1	B														
G03	WC/Shower																						
G04	Hall																						
G05	Living									1	B												
G06	Patio																	1	D				
G07	Courtyard																						
G08	Kitchen							1	B												1	E	
G09	Conservatory							1	B													1	E
G10	Greenhouse	1	A																				
G11	Shed	1	A																				
G12	Drive																		2	D			
1.01																							
1.02																							
	Total	2	0	0	0	0	0	3	0	2	0	0	0	0	0	0	0	0	3	0	2	0	

Type	Switch Description	Notes
A	White plastic	
B	Chrome finish to match existing	
C	Single switch with red warning light	
D	PIR	
E	Remote control for opening rooflight	From rooflight supplier
F		
G		
H		

Sample St	Job No.	Document Ref: E915 Rev T00
-----------	---------	----------------------------

Electrical Schedule – New Power

Room No	Room	Twin Socket		Switched Spur		Single Sockets		30amp Cooker		Shaver Socket		Other		Other	
		No.	Type	No.	Type	No.	Type	No.	Type	No.	Type	No.	Type	No.	Type
G01	Utility	3	A												
G02	Dining														
G03	WC/Shower														
G04	Hall														
G05	Living	1	A												
G06	Patio											2	C		
G07	Courtyard											1	C		
G08	Kitchen	4	A	8	A							1	D	1	E
G09	Conservatory	6	A												
G10	Greenhouse	1	A												
G11	Shed	1	A												
G12	Drive														
1.01		0													
1.02		0													
	Total	8		8		0		0		0		4		1	

NUMBER OF FITTINGS OF EACH TYPE IN EACH ROOM

Type	Power Outlet Description	Notes
A	White plastic	
B	For Boiler	
C	Waterproof external fitting	
D	Cooker supply	Total load 7200 watts. 45 Amp supply.
E	Pop up' 13amp outlet supplied & 2nd fixed by kitchen subcontractor	
F		
G		
H		

Sample St Job No. Document Ref: E915 Rev T00

Electrical Schedule – New Extractors & Heating

Room No	Room	Extractor A	Extractor B	Extractor C	Extractor D	Towel rail	Under floor heating	Underfloor Thermostat	Fan Heater
0	0								
G01	Utility		1				E	F	
G02	Dining						E	F	
G03	WC/Shower			1					
G04	Hall						E	F	
G05	Living						E	F	
G06	Patio								
G07	Courtyard								
G08	Kitchen	A+D					E	F	
G09	Conservatory						E	F	
G10	Greenhouse								
G11	Shed								
G12	Drive								
1.01	0								
	Total	0	1	1	0	0	0	0	0

Type	Extractor or Heater Description	Notes
A	2 No. Minivent SK in-line ducted fan kits c/w Ecotronic Humidity Sensor to give combined 60 litres/s intermittent extract rate.	Vent-Axia Ltd
B	Minivent SK in-line ducted fan with control by Ecotronic Humidity Sensor	Vent-Axia Ltd
C	Existing extract to be ducted to new external vent	
D	Recirculating extractor supplied and fitted by Kitchen subcontractor	
E	Step Warmfloor	www.stepwarmfloor.co.uk
F	Wireless	www.stepwarmfloor.co.uk
G		
H		